



CofC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No. : 7,022,431 B2
Appln. No. : 09/931,943
Issue Date : April 4, 2006
Docket No. : 12298/48501

**Certificate
JUN 28 2006
of Correction**

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450
Attn: Certificate of Correction Branch

**REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 35 U.S.C. § 254**

SIR:


Applicants hereby request that the enclosed Certificate of Correction be issued for the above Patent under authority of 35 U.S.C. § 254.

The changes represent typographical errors made by the U.S. Patent and Trademark Office that were discovered while proofreading the issued patent. The changes would not add new matter, require re-examination, or materially change the scope or meaning of the patent.

Respectfully submitted,

Kenyon & Kenyon LLP

Dated: June 26, 2006


Cassandra T. Swain, Ph.D.
Reg. No. 48,361

KENYON & KENYON LLP
1500 K Street, N.W., Suite 700
Washington, D.C. 20005
(202) 220-4200 tel
(202) 220-4201 fax

JUN 28 2006

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,022,431 B2

Page 1 of 1

DATED : April 4, 2006

INVENTOR(S) : Shchori et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

<u>Column</u>	<u>Line</u>	
14	63	Change " H_3O^{30} " to $-\text{H}_3\text{O}^+-$.
17	7	Change " H_3O^+ ions." to $-\text{H}_3\text{O}^+$ ions.--.

MAILING ADDRESS OF SENDER:

Patent No.: 7,022,431 B2

Cassandra T. Swain, Ph.D.
KENYON & KENYON LLP
1500 K Street, N.W., Suite 700
Washington, DC 20005